Brain Research, 552 (1991) 359–360
Elsevier

Author Index

Alasti, N., see Parks, T.N., 13
Arai, Y., see Nishizuka, M., 351
Artman, L.D., see Parks, T.N., 13

Barker, E.L., Burris, K.D. and Sanders-Bush, E., Phosphoinositide hydrolysis linked 5-HT_2 receptors in fibroblasts from choroid plexus, 330
Beck, T., see Bielenberg, G.W., 338
Berciano, J., see Pascual, J., 170
Bielenberg, G.W. and Beck, T., The effects of dizocilpine (MK-801), phencyclidine, and nimodipine on infarct size 48 h after middle cerebral artery occlusion in the rat, 338
Biello, S.M., Harrington, M.E. and Mason, R., Geniculo-hypothalamic tract lesions block chlordiazepoxide-induced phase advances in Syrian hamsters, 47
Biello, S.M., see Mason, R., 53
Blouin, J.L., see Ceballos-Picot, I., 198
Bolton, P.S., see Yates, B.J., 265
Briand, P., see Ceballos-Picot, I., 198
Brons, J., see Tong, G., 58
Brostedt, P., see Nyberg, F., 129
Burris, K.D., see Barker, E.L., 330

Calder, L.D., see Karler, R., 295
Ceballos-Picot, I., Nicole, A., Briand, P., Grimber, G., Delacourte, A., Defossez, A., Javoy-Agid, F., Lafon, M., Blouin, J.L., and Sinet, P.M., Neuronal-specific expression of human copper-zinc superoxide dismutase gene in transgenic mice: animal model of gene dosage effects in Down's syndrome, 198
Chase, T.N., see Engber, T.M., 113
Chen, C.-C. and Yang, J.-C., Effects of short and long-lasting diabetes mellitus on mouse brain monoamines, 175
Choi, H.K., Won, L.A., Kontur, P.J., Hammond, D.N., Fox, A.P., Wainer, B.H., Hoffmann, P.C. and Heller, A., Immortalization of embryonic mesencephalic dopaminergic neurons by somatic cell fusion, 67
Chung, B.S., Sheen, K. and Chung, J.M., Evidence for invasion of regenerated ventral root afferents into the spinal cord of the rat subjected to sciatic neurectomy during the neonatal period, 311
Chung, J.M., see Chung, B.S., 311
Chvatal, A., see Hoppe, D., 106
Classen, M., see Schick, R.R., 232
Coggeshall, R.E., see Klein, C.M., 273
Colbert, C.M., see Desmond, N.L., 93
Coleman, B.D., see Schmidt, R.E., 190
Conner, J.M., see Vahlsing, H.L., 320
Currier, R.D., see Desaiah, D., 36

Dam, T.-V., see Yashpal, K., 240
De Costa, B.R., see Herkenham, M., 301
Defossez, A., see Ceballos-Picot, I., 198
Delacourte, A., see Ceballos-Picot, I., 198
Derouiche, A. and Frotscher, M., Astroglial processes around identified glutamatergic synapses contain glutamine synthetase: evidence for transmitter degradation, 346
Desaiah, D., Vig, P.J.S., Subramony, S.H. and Currier, R.D., Inositol 1,4,5-trisphosphate receptors and protein kinase C in olivopontocerebellar atrophy, 36
Desmond, J.T., see Dwork, A.J., 119
Desmond, N.L., Colbert, C.M., Zhang, D.X. and Levy, W.B., NMDA receptor antagonists block the induction of long-term depression in the hippocampal dentate gyrus of the anesthetized rat, 93
Dwork, A.J. and Desmond, J.T., Purification of a nicotinic acetylcholine receptor from rat brain by affinity chromatography directed at the acetylcholine binding site, 119

Ellison, G., see Zeigler, S., 27
Engber, T.M., Susel, Z., Kuo, S., Gerfen, C.R. and Chase, T.N., Levodopa replacement therapy alters enzyme activities in striatum and neuropeptide content in striatal output regions of 6-hydroxydopamine lesioned rats, 113

Fahringer, H.M., see Mallick, B.N., 333
Fein, A., see Feng, J.J., 291
Feng, J.J., Frank, T.M. and Fein, A., Excitation of *Limulus* photoreceptors by hydrolysis-resistant analogs of cGMP and cAMP, 291
Fletcher, P.J., Dopamine receptor blockade in nucleus accumbens or caudate nucleus differentially affects feeding induced by 8-OH-DPAT injected into dorsal or median raphe, 181
Flórez, J., see Pascual, J., 170
Fontán, A., see Pascual, J., 170
Fox, A.P., see Choi, H.K., 67
Frank, T.M., see Feng, J.J., 291
Fregly, M.J., see Sumners, C., 283
Freschi, J.E., The effect of subtype-selective muscarinic receptor antagonists on the cholinergic current in motoneurons of the lobster cardiac ganglion, 87
Frotscher, M., see Derouiche, A., 346

Gatti, P.J. and Gillis, R.A., Interaction between pressor and depressor areas in cat ventrolateral medulla, 153
Gault, T.R., see Sumners, C., 283
Gerfen, C.R., see Engber, T.M., 113
Gillis, R.A., see Gatti, P.J., 153
Grimber, G., see Ceballos-Picot, I., 198
Groen, B.G.S., see Herkenham, M., 301
Guillamondegui, O., see Klein, C.M., 273

Hagg, T., see Vahlsing, H.L., 320
Hammond, D.N., see Choi, H.K., 67
Harigaya, Y., see Kawarabayashi, T., 1
Harrington, M.E., see Biello, S.M., 47
Harrington, M.E., see Mason, R., 53
Hasegawa, H., see Wada, Y., 8
Heller, A., see Choi, H.K., 67
Herkenham, M., Groen, B.G.S., Lynn, A.B., De Costa, B.R. and Richfield, E.K., Neuronal localization of cannabinoid receptors and second messengers in mutant mouse cerebellum, 301
Hirai, S., see Kawarabayashi, T., 1
Hiroi, N. and White, N.M., The amphetamine conditioned place preference: differential involvement of dopamine receptor subtypes and two dopaminergic terminal areas, 141
Hoffmann, P.C., see Choi, H.K., 67
Hoppe, D., Chvatal, A., Kettenmann, H., Orkand, R.K. and Ransom, B.R., Characteristics of activity-dependent potassium accumulation in mammalian peripheral nerve in vitro, 106

Iizuka, R., see Nishizuka, M., 351

Janssen, R., Schweitzer, L. and Jensen, K.F., Glutamate neurotoxicity in the developing rat cochlea: physiological and morphological approaches, 255
Javoy-Agid, F., see Ceballos-Picot, I., 198
Jensen, K.F., see Janssen, R., 255

Kankaanranta, S., see Nyberg, F., 129
Karler, R., Calder, L.D. and Turkanis, S.A., DNQX blockade of amphetamine behavioral sensitization, 295
Kawarabayashi, T., Shoji, M., Harigaya, Y., Yamaguchi, H. and Hirai, S., Amyloid β/A4 protein precursor is widely distributed in both the central and peripheral nervous systems of the mouse, 1
Kettenmann, H., see Hoppe, D., 106
Kishioka, S., see Miyamoto, Y., 136
Kiss, J., see Sándor, N.T., 343
Kitabata, Y., see Miyamoto, Y., 136
Klein, C.M., Guillamondegui, O., Krenek, C.D., Laforte, R.A. and Coggeshall, R.E., Do neuropeptides in the dorsal horn change if the dorsal root ganglion cell death that normally accompanies peripheral nerve transection is prevented?, 273
Kontur, P.J., see Choi, H.K., 67
Korthals, J.K., Korthals, M.A. and Wisniewski, H.M., Progression of regeneration after nerve infarction, 41
Korthals, M.A., see Korthals, J.K., 41
Kowall, N.W., see Uemura, Y., 99
Krenek, C.D., see Klein, C.M., 273
Kuo, S., see Engber, T.M., 113
Kupfermann, I., see Teyke, T., 248

Lafon, M., see Ceballos-Picot, I., 198
Laforte, R.A., see Klein, C.M., 273
Larson, C.R., On the relation of PAG neurons to laryngeal and respiratory muscles during vocalization in the monkey, 77
Lemoal, M., see Taghzouti, K., 124
Lendvai, B., see Sándor, N.T., 343
Levy, W.B., see Desmond, N.L., 93
Lipton, J., see Zeigler, S., 27
Lynn, A.B., see Herkenham, M., 301

Mallick, B.N., Fahringer, H.M., Wu, M.F. and Siegel, J.M., REM sleep deprivation reduces auditory evoked inhibition of dorsolateral pontine neurons, 333
Manthorpe, M., see Vahlsing, H.L., 320
Martynyuk, A.E., Savina, S. and Skibo, G.G., Blocking effect of intraperitoneal injection of phenylalanine on high-threshold calcium currents in rat hippocampal neurones, 228
Mason, R., see Biello, S.M., 47
Mason, R., Biello, S.M. and Harrington, M.E., The effects of GABA and benzodiazepines on neurones in the suprachiasmatic nucleus (SCN) of Syrian hamsters, 53
Miyamoto, Y., Morita, N., Kitabata, Y., Yamanishi, T., Kishioka, S., Ozaki, M. and Yamamoto, H., Antinociceptive synergism between supraspinal and spinal sites after subcutaneous morphine evidenced by CNS morphine content, 136
Morita, N., see Miyamoto, Y., 136
Moskowitz, M.A., see Uemura, Y., 99

Nakamura, M., see Wada, Y., 8
Nemeth, E.F., see Parks, T.N., 13
Nicole, A., see Ceballos-Picot, I., 198
Nishizuka, M., Okada, R., Seki, K., Arai, Y. and Iizuka, R., Loss of dendritic synapses in the medial amygdala associated with kindling, 351
Nussbaumer, C., see Schick, R.R., 232
Nyberg, F., Kankaanranta, S., Brostedt, P. and Silberring, J., Purification and characterization of endoproteases from human choroid plexus cleaving prodynorphin-derived opioid peptides, 129

Okada, R., see Nishizuka, M., 351
Orkand, R.K., see Hoppe, D., 106
Ozaki, M., see Miyamoto, Y., 136

Parks, T.N., Artman, L.D., Alasti, N. and Nemeth, E.F., Modulation of *N*-methyl-D-aspartate receptor-mediated increases in cytosolic calcium in cultured rat cerebellar granule cells, 13
Pascual, J., Fontán, A., Zarranz, J.J., Berciano, J., Flórez, J. and Pazos, A., High-affinity choline uptake carrier in Alzheimer's disease: implications for the cholinergic hypothesis of dementia, 170
Pazos, A., see Pascual, J., 170

Quirion, R., see Yashpal, K., 240

Ransom, B.R., see Hoppe, D., 106
Richfield, E.K., see Herkenham, M., 301
Riekkinen Jr. P., J. Sirviö, A. Valjakka, R. Miettinenand, Pharmacological consequences of cholinergic plus serotonergic manipulations, 23
Robertson, L.T., see Tong, G., 58
Roth, K.A., see Schmidt, R.E., 190

Sanders-Bush, E., see Barker, E.L., 330
Sándor, A., see Sándor, N.T., 343
Sándor, N.T., Kiss, J., Sándor, A., Lendvai, B. and Vizi, E.S., Naloxone enhances the release of acetylcholine from cholinergic interneurons of the striatum if the dopaminergic input is impaired, 343
Savina, S., see Martynyuk, A.E., 228
Schick, R.R., Schusdziarra, V., Nussbaumer, C. and Classen, M., Neuropeptide Y and food intake in fasted rats: effect of naloxone and site of action, 232
Schmidt, R.E., Spencer, S.A., Coleman, B.D. and Roth, K.A., Immunohistochemical localization of GAP-43 in rat and human sympathetic nervous system — effects of aging and diabetes, 190
Schusdziarra, V., see Schick, R.R., 232
Schweitzer, L., see Janssen, R., 255
Seki, K., see Nishizuka, M., 351
Sheen, K., see Chung, B.S., 311
Shoji, M., see Kawarabayashi, T., 1
Siegel, J.M., see Mallick, B.N., 333
Silberring, J., see Nyberg, F., 129
Simon, H., see Taghzouti, K., 124
Sinet, P.M., see Ceballos-Picot, I., 198
Skibo, G.G., see Martynyuk, A.E., 228
Smith, R.S. and Snyder, R.E., Reversal of rapid axonal transport at a lesion: leupeptin inhibits reversed protein transport, but does not inhibit reversed organelle transport, 215
Snyder, R.E., see Smith, R.S., 215
Spencer, M., see Vahlsing, H.L., 320
Spencer, S.A., see Schmidt, R.E., 190
Subramony, S.H., see Desaiah, D., 36
Sumners, C., Gault, T.R. and Fregly, M.J., Potentiation of angiotensin II-induced drinking by glucocorticoids is a specific glucocorticoid Type II receptor (GR)-mediated event, 283
Susel, Z., see Engber, T.M., 113

Taghzouti, K., Lemoal, M. and Simon, H., Suppression of noradrenergic innervation compensates for behavioral deficits induced by lesion of dopaminergic terminals in the lateral septum, 124
Teyke, T., Weiss, K.R. and Kupfermann, I., Egg laying hormone inhibits a neuron (C-PR) involved in multiple manifestations of food-induced arousal in *Aplysia*, 248
Toga, A., see Zeigler, S., 27

Tong, G., Robertson, L.T. and Brons, J., Vagal and somatic representation by the climbing fiber system in lobule V of the cat cerebellum, 58
Turkanis, S.A., see Karler, R., 295

Uemura, Y., Kowall, N.W. and Moskowitz, M.A., Focal ischemia in rats causes time-dependent expression of c-fos protein immunoreactivity in widespread regions of ipsilateral cortex, 99

Vahlsing, H.L., Hagg, T., Spencer, M., Conner, J.M., Manthorpe, M. and Varon, S., Dose-dependent responses to nerve growth factor by adult rat cholinergic medial septum and neostriatum neurons, 320
Varon, S., see Vahlsing, H.L., 320
Vig, P.J.S., see Desaiah, D., 36
Vizi, E.S., see Sándor, N.T., 343

Wada, Y., Hasegawa, H., Nakamura, M. and Yamaguchi, N., Suppressive effects of L-5-hydroxytryptophan in a feline model of photosensitive epilepsy, 8
Wainer, B.H., see Choi, H.K., 67
Weiss, K.R., see Teyke, T., 248
White, N.M., see Hiroi, N., 141
Wisniewski, H.M., see Korthals, J.K., 41
Won, L.A., see Choi, H.K., 67
Wu, M.F., see Mallick, B.N., 333

Yamagata, Y., see Yates, B.J., 265
Yamaguchi, N., see Wada, Y., 8
Yamaguchi, H., see Kawarabayashi, T., 1
Yamamoto, H., see Miyamoto, Y., 136
Yamanishi, T., see Miyamoto, Y., 136
Yang, J.-C., see Chen, C.-C., 175
Yashpal, K., Dam, T.-V. and Quirion, R., Effects of dorsal rhizotomy on neurokinin receptor sub-types in the rat spinal cord: a quantitative autoradiographic study, 240
Yates, B.J., Yamagata, Y. and Bolton, P.S., The ventrolateral medulla of the cat mediates vestibulosympathetic reflexes, 265
Yici, C., see Yunshao, H., 159
Yunshao, H., Zhibin, Y. and Yici, C., Effect of nerve growth factor on the lesioned septohippocampal cholinergic system of aged rats, 159

Zahm, D.S., Compartments in rat dorsal and ventral striatum revealed following injection of 6-hydroxydopamine into the ventral mesencephalon, 164
Zarranz, J.J., see Pascual, J., 170
Zeigler, S., Lipton, J., Toga, A. and Ellison, G., Continuous cocaine administration produces persisting changes in brain neurochemistry and behavior, 27
Zhang, D.X., see Desmond, N.L., 93
Zhibin, Y., see Yunshao, H., 159